

# References for Retrospective Sampling and Gene-Environment Interaction Studies

## Best Introduction

- Chatterjee, N. & Carroll, R. J. (2005). Semiparametric maximum likelihood estimation in case-control studies of gene-environment interactions. *Biometrika*, 92, 399-418.
- Chatterjee, N., Chen, J., Spinka, C. & Carroll, R. J. (2006). Comment on the paper *Likelihood based inference on haplotype effects in genetic association studies* by D Y Lin and D Zeng. *Journal of the American Statistical Association*, 101, 108-110.
- Spinka, C., Carroll, R. J. & Chatterjee, N. (2005). Analysis of case-control studies of genetic and environmental factors with missing genetic information and haplotype-phase ambiguity. *Genetic Epidemiology*, 29, 108-127.

## Other Important References

- Andersen, J. B. (1970). Asymptotic properties of conditional maximum likelihood estimators. *Journal of the Royal Statistical Society, Series B*, 32, 283-301.
- Chatterjee, N., Kalaylioglu, Z. & Carroll, R. J. (2005). A new paradigm of conditional-likelihoods for exploiting gene-environment independence in family based case-control studies. *Genetic Epidemiology*, 28, 138-156.
- Chatterjee, N., Kalaylioglu, Z., Moslehi, R., Peters, U. and Wacholder, S. (2006). Powerful multi-locus tests for genetic association in the presence of gene-gene and gene-environment interactions. *American Journal of Human Genetics*, 79, 1002-1016.
- Chen, Y.-H., Carroll, R. J. & Chatterjee, N. (2008). Retrospective analysis of haplotype-based case-control studies under a flexible model for gene-environment association. *Biostatistics*, to appear.
- Epstein, M. and Satten, G. (2003). Inference of haplotype effects in case-control studies using unphased genotype data. *American Journal of Human Genetics*, 73, 1316-1329.

- Lake, S. L., Lyon, H., Tantisira, K., Silverman, E. K., Weiss, S. T., Laird, N. M. and Schaid, D. J. (2003). Estimation and tests of haplotype-environment interaction when linkage phase is ambiguous. *Human Heredity*, 55, 56-65.
- Lin, D. Y. and Zeng, D. (2006). Likelihood-based inference on haplotype effects in genetic association studies (with discussion). *Journal of the American Statistical Association*, 101, 89-118
- Lobach, I., Carroll, R. J., Spinka, C., Gail, M. H. & Chatterjee, N. (2007). Haplotype-based regression analysis of case-control studies with unphased genotypes and measurement errors in environmental exposures. *Biometrics*, to appear,
- Prentice, R. L. and Pyke, R. (1979). Logistic disease incidence models and case-control studies. *Biometrika*, 66, 403-411.
- Roeder, K., Carroll, R. J. and Lindsay, B. G. (1996). A nonparametric mixture approach to case-control studies with errors in covariables. *Journal of the American Statistical Association*, 91, 722-732.
- Satten, G. A. and Epstein, M. P. (2004). Comparison of prospective and retrospective methods for haplotype inference in case-control studies. *Genetic Epidemiology*, 27, 192-201.
- Schaid D. J. (2004). Evaluating associations of haplotypes with traits. *Genetic Epidemiology*, 27, 348-364.
- Wallenstein, S., Hodge, S. E., Weston, A. (1998). Logistic regression model for analyzing extended haplotype data. *Genetic Epidemiology*, 15, 173-181.